

**ANNE ARUNDEL COUNTY, MARYLAND
DEPARTMENT OF PUBLIC WORKS**

**CAYUGA FARMS GRAVITY INTERCEPTOR, PHASE II
PROPOSAL NO. S792905
PROJECT NO. S792900**

ADDENDUM NO. 2

February 8, 2012

To Bidders:

This Addendum No. 2 is hereby made a part of the contract documents on which the contract will be based, and is issued to modify, explain and/or correct the original contract documents. Please attach this Addendum to your contract documents and submit bids and be otherwise governed accordingly. Receipt of this Addendum must be acknowledged on Page A4-3 of the Proposal Form.

CHANGES TO CONTRACT SPECIFICATIONS:

1) INFORMATION TO BIDDERS, Page A2-3, REMOVE:

Effective immediately, the Anne Arundel County Purchasing Agent and Department of Public Works will not accept any bonds issued by the Fidelity and Deposit Company of Maryland until further notice.

2) COUNTY STANDARD SPECIFICATION SECTION 1300 – Construction Stakeout – DELETE Part A. - Description and REPLACE with:

A. Description

This work shall consist of maintaining construction layout stakes necessary for the proper prosecution of the work in accordance with the Contract Documents. Initial furnishing and placing layout stakes will be performed by others (Construction Manager).

3) PROPOSAL, Page A4-4, REMOVE and REPLACE with:

See attached sheet, page A4-4 – Descriptions for Items 6-9 have been revised, and quantities for Items 7 and 9 have been revised.

4) APPENDIX B – NATIONAL TERRORISM ADVISORY SYSTEM MEASURES, REMOVE and REPLACE with:

See attached sheets, pages 1- 3 of 3.


Bruce E. Wright, P.E., Assistant Chief Engineer

NOTE: THIS FORM MUST BE SUBMITTED IN DUPLICATE WITH THE BID

| Item | Description | Unit Size | Estimated Quantity | Unit Price Dols / Cts | Total Price Dols / Cts |
|------|--|-----------|--------------------|--------------------------|---------------------------|
| 1 | Mobilization | LS | 1 | | |
| 2 | Furnish and install 8" PVC SDR 26 sewer main including all connections, appurtenances, excavation, pipe bedding, trench refill, and surface restoration complete in place. | LF | 957 | | |
| 3 | Furnish and install 12" PVC SDR 26 sewer main including all connections, appurtenances, excavation, pipe bedding, trench refill, and surface restoration complete in place. | LF | 1,596 | | |
| 4 | Furnish and install 18" PVC SDR 26 sewer main including all connections, appurtenances, excavation, pipe bedding, trench refill, and surface restoration complete in place. | LF | 3,148 | | |
| 5 | Furnish and install 18" PVC SDR 18 sewer main including all connections, appurtenances, excavation, pipe bedding, trench refill, and surface restoration complete in place. | LF | 688 | | |
| 6 | Furnish and install standard 7'-8" minimum depth 48" manhole complete in place including all connections, appurtenances, excavation, bedding, trench refill, and surface restoration complete in place. | EA | 20 | | |
| 7 | Furnish and install standard 48" manhole beyond 7'-8" minimum depth complete in place including all connections, appurtenances, excavation, bedding, trench refill, and surface restoration complete in place. | VF | 146 | | |
| 8 | Furnish and install standard 7'-8" minimum depth 60" manhole complete in place including all connections, appurtenances, excavation, bedding, trench refill, and surface restoration complete in place. | EA | 1 | | |
| 9 | Furnish and install standard 60" manhole beyond 7'-8" minimum depth complete in place including all connections, appurtenances, excavation, bedding, trench refill, and surface restoration complete in place. | VF | 13 | | |
| 10 | Furnish and install water tight frame and cover | EA | 14 | | |
| 11 | Core Drill existing manhole and reshape channel as required | EA | 2 | | |
| 12 | Furnish and install sewer house connection (SHC) including all connections, appurtenances, clean outs, excavation, bedding, trench refill, and surface restoration complete in place. | LF | 170 | | |
| 13 | Furnish and install stabilized drainage outlet (riffles, pools and weirs) | SY | 183 | | |
| 14 | Furnish and install plantings (including all trees, tree shelters, herbaceous perennials, shrubs, and specified watering). | LS | 1 | | |

ANNE ARUNDEL COUNTY

CAYUGA FARMS GRAVITY INTERCEPTOR, PHASE II

PROPOSAL NO. S792905

PROJECT NO. S792900

APPENDIX "B"

CONTRACTOR SECURITY PROGRAM

This appendix describes measures to be taken by the contractor to reduce the risk of vulnerability to Anne Arundel County Department of Public Works (DPW) Utility Operations facilities for each of the Homeland Security Threat Advisory Levels. Utility Operations personnel may take measures based on the Department of Public Works Policy and Procedures Manual that will impact the contractor's work. Consultants, contractors, subcontractors, suppliers, etc. are required to perform their part in this program.

The following measures shall be implemented based on the security threat level declared by Utility Operations.

Standard Practice & Measures

- 1 Carry identification while on Utility Operations property. Minimum identification may consist of a printed or hand written business card or paper bearing the hiring company's name, the individual's name and the signature of the hiring company foreman, supervisor or other representative.
- 2 Challenge unknown visitors. Request identification and purpose of visit.
- 3 Review security procedures with personnel.
- 4 Report suspicious activity (carrying suitcases / containers, photographing, noting or asking questions about operations, pumping or pipeline operations or security measures) to supervision. Supervision determines whether to contact law enforcement and chain of command.
- 5 Report unidentified vehicles parked or operated in a suspicious manner on or in Utility Operations facilities, equipment or rights-of-way. Notify supervision of infractions. Supervision determines whether to contact law enforcement and chain of command.

Elevated Threat Advisory Level – No Specific Information on Timing or Location

- 1 Remind personnel to:
 - a. Carry identification while on Utility Operations property. Minimum identification may consist of a printed or hand written business card or paper bearing the hiring company's name, the individual's name and the signature of the hiring company foreman, supervisor or other representative.
 - b. Challenge unknown visitors.
 - c. Request identification and purpose of visit.

- 2 Cease public tours.
- 3 If directed by Utility Operations:
 - a. Remove vehicles and objects (e.g. dumpsters) parked within 25 yards of specified facilities.
 - b. Park vehicles outside facilities. Implement centralized parking and shuttle service.
 - c. Report suspicious vehicles or objects to Utility Operations supervision.
 - d. Verify the identity of individuals entering specified facilities.
 - e. Facility gates and entrances will be locked, except when passing through. Limit access to essential employees and contractors. Verify the identity of individuals entering facilities. Issue visitor badges to visitors.
 - f. Inspect buildings, rooms and storage areas not in regular use, daily.
 - g. Inspect the interior and exterior of buildings for suspicious activities or packages. Check for signs of tampering or indications of unauthorized entry.
- 4 Utility Operations may:
 - a. Erect barriers to control the direction of traffic flow and parking.
 - b. Consult with law enforcement to close public roads and facilities.

Imminent Threat Advisory Level – Threat at Location Impending or Very Soon

- 1 Remind personnel to:
 - a. Display identification while on Utility Operations property. Minimum identification may consist of a printed or hand written business card or paper bearing the hiring company's name, the individual's name and the signature of the hiring company foreman, supervisor or other representative.
 - b. Challenge unknown visitors.
 - c. Request identification of anyone not displaying it and ask the purpose of his or her visit.
- 2 Limit access to facilities and activities to personnel with legitimate and verifiable need to enter.
 - a. Cease Public Tours
- 3 Buildings, rooms, and storage areas will be locked. Inspect baggage, briefcases, and packages brought to the facility.
- 4 If directed by Utility Operations:
 - a. Remove vehicles and objects (e.g. dumpsters) parked within 25 yards of specified facilities. Identify owners of vehicles on Utility Operation property. Have unidentified vehicles inspected by law enforcement personnel and, if appropriate, removed.
 - b. Park vehicles outside facilities. Implement centralized parking and shuttle service.

- c. Inspect delivery vehicles and containers entering the facility. Require advance delivery notification and validate credentials of the driver.
 - d. Implement daily inspections of specified buildings and grounds.
 - e. Take steps to control access to specified facilities.
 - f. Facility gates and entrances will be locked, except when passing through. Limit access to essential employees and contractors. Verify the identity of individuals entering facilities. Issue visitor badges to visitors.
 - g. Inspect buildings, rooms and storage areas not in regular use daily.
 - h. Inspect the interior and exterior of buildings for suspicious activities or packages. Check for signs of tampering or indications of unauthorized entry.
 - i. Implement mailroom procedures. Have mail and packages sent to a central, secure location and inspected before distribution.
- 5 Utility Operations may:
- a. Restrict access to specific facilities.
 - b. Request closure of public roads and facilities in the vicinity of specified facilities.
 - c. Stop work in part or in total.
 - d. Erect barriers to control the direction of traffic flow and parking.
 - e. Consult with law enforcement to close public roads and facilities.
 - f. Post guards.