

2019 Step Pool Storm Conveyance (SPSC) Stabilization Notes:

- Temporary stabilization notes (include one of the following):
 - Temporary stabilization for any area of earth disturbance around the pools and riffle zones of a SPSC (e.g., Step Pool Storm Conveyance System) shall be considered achieved when uniformly covering the area with 2 to 4 inches of wood chips. Annual rye may be utilized for the temporary seeding application period found under the Anne Arundel Soil Conservation District's (AASCD) Vegetative Establishment Specification or 2011 Standards and Specifications for Soil Erosion and Sediment Control.
- Permanent stabilization notes (include one of the following):
 - Permanent stabilization for an area of earth disturbance around the pools and riffle zones of a SPSC shall be considered achieved when the area is covered with 2 to 4 inches of compost (applied over any wood chips used for temporary stabilization) or 2 to 4 inches of wood chips tracked into soil and a (Native Plants) planting plan has been implemented, regardless of soil treatment.
 - Permanent stabilization for an area of earth disturbance of a SPSC shall be considered achieved when the banks and floodplain are covered with fully biodegradable stabilization matting installed per manufacturer's instructions and a (Native Plants) planting plan has been implemented.
 - All disturbed areas shall receive hydroseeding or flexible growth medium (FGM) after the establishment of final grades and microtopography (if applicable) in accordance with the project Landscaping Plans.